



town & country fires

Hand Made in Britain

2021



BRITISH
MADE

Stove Specifications

* = Suitable for 12mm hearth

MODEL	OUTPUT	CO emission (wood)	CO emission (solid fuel)	HEIGHT mm	WIDTH mm	DEPTH mm	Flue dia. mm	ErP	EI INDEX	Minimum Clearances Required from combustible material (With the heat shield fitted where applicable)		
										Side of Stove mm	Behind Stove mm	Above Stove mm
RUNSWICK MK2	4 kW	0.25 %	0.13 %	See page 47	See page 47	See page 7	See page 47	A	106%	150	N/A	300
ALANDALE ECO *	4.6kW	0.11	-	542	388	302	125	A	99%	350	350	300
ALANDALE ECO + LOG STORE *	4.6kW	0.11	-	700	388	302	125	A	99%	350	350	300
ROSEDALE INSET ECO S/C	5 kW	0.06 %	0.06 %	See page 49	See page 49	See page 49	See page 49	A	104 %	200	N/A	350
LITTLE THURLOW *	5 kW	0.26 %	0.23 %	516	472	325	152	A	104 %	450	350	300
LITTLE THURLOW + LOG STORE *	5 kW	0.26 %	0.23 %	711	472	325	152	A	104 %	450	350	300
LITTLE THURLOW ECO S/C*	5 KW	0.07%	0.11%	516	472	325	125	A	105 %	450	350	300
LITTLE THURLOW ECO + LOG STORE S/C*	5 KW	0.07%	0.11%	711	472	325	125	A	105 %	450	350	300
PICKERING ECO S/C*	5 Kw	0.08%	-	540	515	350	125	A+	109 %	450	250	300
PICKERING ECO + LOG STORE S/C*	5 Kw	0.08%	-	798	515	350	125	A+	109 %	450	250	300
CROPTON ECO S/C *	5 kW	0.06 %	0.05 %	640	438	293	125	A+	108 %	350	450	300
DALBY ECO S/C *	5 kW	0.08 %	0.07 %	542	472	428	125	A+	108 %	650	500	300
DALBY ECO S/C * + LOG STORE	5 kW	0.08 %	0.07 %	711	472	428	125	A+	108 %	650	500	300
SALTBURN ECO S/C *	5 kW	0.08 %	0.07%	542	472	352	125	A+	108 %	650	500	300
SALTBURN ECO S/C * + LOGSTORE	5 kW	0.08 %	0.07%	711	472	352	125	A+	108 %	650	500	300
HARROGATE ECO S/C *	7 kW	0.06 %	-	686	463	354	152	A	100 %	400	200	400
CAEDMON ECO S/C *	7 kW	0.06 %	-	686	463	354	152	A	100 %	400	200	400
THORNTON DALE	7.5 kW	0.37 %	0.28 %	515	540	405	152	A	97 %	650	350	400
THORNTON DALE + LOG STORE	7.5 kW	0.37 %	0.28 %	768	540	405	152	A	97 %	650	350	400
LANGDALE ECO S/C *	7.7 kW	0.8 %	0.06 %	755	512	457	125	A	105 %	400	200	400
LANGDALE ECO S/C * + LOG STORE	7.7 kW	0.8 %	0.07 %	880	512	457	125	A	105 %	400	200	400
ROSEDALE S/C *	7.5 kW	0.29 %	0.25 %	635	495	400	152	A	102 %	550	850	400
ROSEDALE + LOG STORE S/C *	7.5 kW	0.29 %	0.25 %	800	495	400	152	A	102 %	550	850	400
BRANSDALE ECO S/C*	8 kW	0.09 %	0.04%	580	557	380	152	A	102 %	650	750	400
WELBURN *	8 - 14 kW	0.31 %	0.25 %	773	585	412	152	A	102 %	600	900	450
WELBURN + LOG STORE *	8 - 14 kW	0.31 %	0.25 %	975	585	412	152	A	102 %	600	900	450
BYLAND	8 - 14 kW	0.31 %	0.25 %	808	585	436	152	A	102 %	600	900	450
GLAISDALE	10 kW	0.12 %	0.40 %	610	645	420	152	A	102 %	600	450	450
BRANSDALE DOUBLE SIDED *	8 kW	0.23 %	-	580	557	405	152	A	100 %	450	350 in front of both doors	400
WELBURN DOUBLE SIDED *	10 kW	0.50 %	0.16 %	808	585	554	177	A	97%	750	900 in front of both doors	450

Contents

4-5kW



**Alandale
ECO**
Page 9

5kW



**Saltburn
ECO**
Page 11



**Dalby
ECO**
Page 13



**Cropton
ECO**
Page 15



**Little
Thurlow**
Page 17



**Little
Thurlow ECO**
Page 19



Pickering ECO
Page 21

7kW



**Harrogate
ECO**
Page 23



**Caedmon
ECO**
Page 25

7.5kW



Thornton Dale
Page 27



Rosedale SC
Page 29

7.7kW



Langdale ECO
Page 31

8kW



Bransdale ECO
Page 33

10-14kW



Byland
Page 35



Welburn
Page 37



Glaisdale
Page 39

Double Sided



Bransdale
Page 41



Welburn
Page 43

Inset



Runswick Mk2
Page 45



Rosedale Inset ECO
Page 47

SYMBOLS



CLEARSKIES
MARK



ECODESIGN
COMPLIANT



ECODESIGN
ready



SMOKE
CONTROL



OUTSIDE AIR
KIT



A warm family welcome...



Town and Country Fires was founded back in 1977 by Alan and Ruth Thurlow as a way to diversify from farming. The original premises was an old Cow shed on their farm in a valley called Great Fryup Dale in the heart of the beautiful North Yorkshire Moors. When the business grew they decided to relocate to Pickering so that they would be in a central location for their customers. A few years later the neighbouring villages started to get a mains gas line installed which meant the Wood Burning sales started to drop. Alan was frustrated that the Gas fires didn't look realistic enough, so a plan was hatched! Everything was very low tech back in the 1980's, with his thoughts drawn out on cornflake packets and stuck together. Once he was confident they were what he wanted, they were then made out of steel. The Gas fires and Stoves made a big impact within the industry and several of Alan's designs were sold onto other Gas fire companies.

The business has grown throughout the years and now employs over 20 local men and women. Alan and Ruth's children Nina and Philip, are heavily involved in the

business. Nina is the Quality Manager and runs the accounts. Philip has taken over from his Dad and now runs the factory and designs/develops new stoves. Town and Country Fires manufacture and develop all their stoves in their factory in Pickering. The manufacturing process has changed over the years.

The factory now boasts four robotic welders, a state of the art laser cutter, and a 85 ton precision Press brake, all of which need our highly trained members of staff. We have a computer system that can generate prototype models, control the laser and press brake with lights out capability. The process of making a stove starts with a flat piece of steel and from the moment the steel enters the factory, the journey begins. From laser cutting, to precision bending, to welding the list is endless but the stove goes through a number of stages to get it to its final destination. We take a huge amount of time, effort and pride to make, assemble and pack the stoves so they arrive in the same condition that they left us. We only use the best British steel and best quality components to create beautifully manufactured stoves. We have

a highly skilled work force, some of them have been with us for over 25 years. We are so lucky to have very dedicated members of staff both in the factory and the showroom who turn their hands to all sorts to help the business. There are some exciting times ahead with great innovative designs coming in the future. Thank you to all our past and present customers for all your continued support, we really do appreciate it x



Alan Ruth Nina Philip



Alan Thurlow on his 'Scrambler' in 1958

Quality products...

The full range of solid fuel and wood burning stoves all carry certified efficiency ratings and comply with BS EN 13240 : 2001 + A2 : 2004 and BS EN 13229 : 2001 + A1: 2003 + A2 : 2004. They are also Hetas approved and C.E. marked.



Town and Country Fires are accredited to BS EN ISO:9001:2015 Quality Management System.

All our stoves have an air wash to the glass, which works extremely well. Most have tertiary air at the rear of the fire box too, which burns off gases at the back of the fire that do not normally ignite, thus giving a very clean burn, causing less pollution in the atmosphere. Town and Country Fires are one of the very few stove people who actually make the stoves from start to finish.

We design and perfect the combustion in the stoves, so that they out-perform some of the very best stoves across the world. We buy best British steel, cut it accurately with a laser cutter, then bend it with a C.N.C. press. The metal formed shapes are then passed to our robot welder which produces high penetration and extremely accurate joints. Once the bodies have been produced in this way, they are finished by hand, which includes shot blasting to enable a good penetration of paint. Some of the stoves are completely hand made, by staff who have worked for us for many years.

Eco Design Ready Stoves

The majority of the Town and Country range of wood / solid fuel stoves are Eco Design Ready. These models have been designed, tested and built to the Eco Design 2022 legislation.

Currently in the UK the Co/Co² emissions standard is 1% and in Europe it is 0.35%. From January 2022 this will be reduced to 0.12% in both the UK and Europe. Our Eco Design Ready stoves are significantly below the emissions requirements of 2022, ranging from 50% to 73% below the 2022 directive.



Eco Design 2022 is a new directive to reduce stove emissions and improve stove efficiencies, The Emissions that are been reduced are CO₂, NO_x, Din Particulates and Hydro Carbons. Our Eco Design stoves are both SIA (Stove Industry Alliance) Eco Design Ready and HETAS Eco Design Compliant.



Clear Skies Mark

Clear Skies Mark is a new industry standard it is a certification mark on stove emissions and efficiency for wood / solid fuel stoves. Level 2 denotes Eco Design Ready, Level 3 means Eco Design Ready and Smoke control approved. The requirement for a stove to be rated at Level 4 is Eco Design Compliant, Smoke Control approved and 15% overall improvement on level 3. Level 5 is a further 15% improvement of level 4. Ratings are capped at level 5.





Our stoves...

Cast Iron Or Steel Stoves? Steel is stronger and more durable as the seams are welded together, whereas cast iron stoves are bolted and sealed together with fire cement or rope. In time the bolts corrode and the stove is not airtight and not usable. Also cast iron is very brittle and may crack if heated up too quickly. The Town and Country stoves will expand and contract through operation and should last for 50 years or more. In the past bridges were all built of cast iron, but for the same reasons, they are not any more.

A Town and Country stove is one of the most efficient stoves on the market, up to 85% efficient as you can see by reading our brochure, so you can be assured you are buying a top quality stove at a reasonable price, which will keep your family and home warm for many years to come.

Burning Wood Wood ought not to be burnt on a stove if it is not seasoned and dry, you pollute the atmosphere, tar up your chimney, and chimney fires are caused. Wood needs to be no more than 20% moisture content,

and when buying wood straight from a local log supplier, they will not usually be dried and seasoned. Logs don't dry in a garage, they need to be out in the open, preferably with just a roof or cover over them. When seasoned wood is burnt on a very efficient stove, you can produce over 5kW of heat per hour using only 1.5kg of wood - which is the equivalent of two hard wood logs, roughly 6" long x 3" diameter.

A Carbon Neutral Fuel When trees grow they absorb carbon dioxide and generate oxygen. When wood is burnt in a stove or left to rot, it will release the same amount of carbon dioxide.

Internet Policy Town and Country Fires recommend that customers buy Town and Country Stoves only from a local, recognised stockist. If products are purchased from a non-approved source, we cannot guarantee that the product purchased is an up-to-date model with the latest features, nor can we be sure that the potential customer will have been given the best advice regarding suitability and installation. We point out that there is no contract between Town and Country Fires and the customer, their

contract is with the supplier and our contract is with the dealer only. A customer buying through the internet or out of serviceable area can have no redress via us and will be passed back through the chain if necessary.





Alandale with Log Store

4.6kW



Alandale Eco SC

- With or without Log Store



- 4.6kW
- Smoke Control
- ECO Design Ready
- Wood Burning
- Energy Class A
- Energy Efficiency Index 99%
- 78.5% efficient
- 5" diameter flue (top flue only)
- Suitable for a 12mm Hearth
- Built in Tertiary Air
- Optional Outside Air Kit
- Optional Remote Control
- Stay Cool Stainless Steel Handle
- Distance from combustible material:
Back 350mm / Side 350mm
- Max. Log Length 250mm
- Weight 70kg

The ALANDALE is a new contemporary looking stove designed purely for burning wood. It is a smaller version of the PICKERING stove with sleek lines and a good size glass and can burn logs up to 250mm long.

It is rated at 4.6KW heat output and is tested to the new Eco Design standards coming into force in 2022. It is a good choice for the environmentally conscious with low emissions and is approved for burning wood in smoke control areas.


As with all our new stoves the control is very easy, just one lever at the front below the door to control the air intake and the tertiary air which ignites the gases at the rear of the firebox for a cleaner burn.

The stove is fitted with our new design cool touch door handle for ease of use. There is also a log store version of the ALANDALE which is suitable for taller openings or freestanding situations.



Patent granted on rear air inlet for secondary air, tertiary air system and remote control

	ALANDALE ECO SC Results	ERP Limits
CO Emission (at 13% O2)	0.11	0.12
Hydro Carbon Emission	89	120
NOx Emission	93	200
DIN Plus Particulates	22	40



Alandale

The Alandale is named in loving memory of Town and Country Fires Founding Director, Alan Thurlow, who started the company with his wife, Ruth, in 1977.



Saltburn with Log Store in Metallic Grey

5kW



Saltburn Eco SC

- With or without Log Store



- 5kW
- Multifuel
- Smoke Control
- ECO Design Ready
- Energy Class A+
- Energy Efficiency Index 108%
- 81.2% efficient
- 5" flue (top flue only)
- Suitable for a 12mm Hearth
- Built in Tertiary Air
- Optional Outside Air Kit
- Optional Remote Control
- Distance from combustible material with additional heatshield:
Back 500mm / Side 400mm **or**
with additional heatshield
Back 200mm / Side 400mm
- Brass or Stainless Steel Handle
- Max. Log Length 300mm
- Weight 61kg


The Saltburn is a great addition to our range, it boasts modern looks and has a beautiful retro feel whilst using highly advanced technology. The stove comes with the option of using the air from within your room or you can connect to the outside of your house with the "outside air kit". The Saltburn is designed and engineered by our highly skilled work force in our factory in Pickering, like the whole range from Town and Country Fires. The Saltburn has very discreet air controls located under the door which are very responsive and highly effective. We have worked long and hard to make the glass viewing area as large as possible on this stove without compromise. The low version of the stove will fit into most fireplaces, traditional or contemporary. The taller version lends itself to a more contemporary room setting. Both are Defra Exempt Smoke Control stoves.

The Saltburn and the Dalby Smoke Control stoves have the same interiors and specifications. The Saltburn is the flat door model, the Dalby is the curved door model.



Patent granted on rear air inlet for secondary air, tertiary air system and remote control

	Saltburn ECO SC Results	ERP Limits
CO Emission (at 13% O2)	0.08	0.12
Hydro Carbon Emission	41	120
NOx Emission	79	200
DIN Plus Particulates	16	40



Saltburn

Saltburn is a seaside resort in the region of Redcar and Cleveland, but is still part of North Yorkshire. Saltburn is known for having one of the oldest water-powered cliff lifts and of course the Saltburn pier that opened in 1869.





Dalby SC in Mojave Red

Dalby Eco SC

• With or without Log Store

- 5kW output
- Multifuel
- ECO Design Ready
- Energy Class A+
- Energy Efficiency Index 108%
- 81.2% Efficient on Wood
- 5" diameter flue (top flue only)
- Suitable for 12mm hearth
- Built in Tertiary Air
- Optional Outside Air kit
- Optional Remote Control
- Distance from combustible material with additional heatshield:
Back 500mm / Side 400mm **or**
with additional heatshield
Back 200mm / Side 400mm
- Max. Log Length 300mm
- Brass or St/Steel Fittings
- Weight 61 kg

The Dalby is controlled by two simple levers which are below the door, these levers take the place of the spin wheels. One lever controls the primary air and the second lever controls the secondary and tertiary air. Once the fire is established, there is no need to use the primary air lever except with smokeless fuel, even when re-fuelling.

Dalby Outside Air Kit The Dalby can be supplied with an outside air kit, which is now a requirement in a lot of new build properties.

Both versions of the Dalby are suitable for a 12mm hearth.

The Dalby and the Saltburn Smoke Control stoves have the same interiors and specifications. The Dalby is the curved door model, the Saltburn is the flat door model.




5kW



Patent granted on rear air inlet for secondary air, tertiary air system and remote control

	Dalby ECO SC Results	ERP Limits
CO Emission (at 13% O2)	0.08	0.12
Hydro Carbon Emission	41	120
NOx Emission	79	200
DIN Plus Particulates	16	40



Dalby Forest

The Dalby is named after the Great Yorkshire forest 'Dalby Forest'. The forest is situated on the edge of the North Yorkshire Moors and a few miles from Pickering. The forest is full of wildlife, has a large variation of tree species and is used for leisure activities like mountain biking and walking.





5kW

Cropton ECO SC



- 5kW output
- Multifuel
- ECO Design Ready
- Energy Efficiency Class A+
- Energy Efficient Index 108%
- 81.2% Efficient on Wood
- 77.7% Efficient on Solid Fuel
- 5" Diameter flue collar (top flue only)
- Suitable for a 12mm Hearth
- Built In Tertiary Air
- Optional Outside Air kit
- Optional Remote Control
- Distance from combustible material;
Back 450mm / Side 350mm
- Brass or Stainless Steel Handle
- Max. Log Length 300mm
- Weight 87kg

The Cropton stove combines an attention-grabbing large glass window, slimline body, 5kW output and incredibly low emissions.

Meeting and beating all the criteria BY 50% for the new 'ECODESIGN' legislation for lower emissions due to take effect in 2022.

This makes the Cropton a perfect choice for a 'future-proofed' stove that will be a statement piece for years to come. The Cropton is smoke control approved.


Like all our stoves the Cropton has an excellent air wash system which keeps the glass clean giving you an unrivalled view of the fire.

Controlled simply with 2 levers as standard, the Cropton also includes the option of installing an 'Outside Air Kit'.



Patent granted on rear air inlet for secondary air, tertiary air system and remote control

	Cropton ECO SC Results	ERP Limits
CO Emission (at 13% O2)	0.06	0.12
Hydro Carbon Emission	41	120
NOx Emission	79	200
DIN Plus Particulates	16	40



Cropton

Cropton is located at the edge of the Tabular Hills within the North York Moors National Park, with a road descending off the escarpment and down into Rosedale. Traditional stone houses and cottages line a broad main street that leads towards the church, but Cropton is even older than it looks – with a history dating back at least 2,000 years.



Little Thurlow

• With or without Log Store



5kW

- 5kW output
- Multifuel
- Energy Class A
- Energy Efficiency Index 104%
- 78.9% Efficient on Wood
- 79.6% Efficient on Solid Fuel
- 6" Diameter Flue
- Tertiary Air
- Suitable for 12mm hearth
- Riddling Grate
- Max. Log Length 350mm


One of our most popular models, the Little Thurlow has stood the test of time. This stove is designed specially for the lower fire opening, being only 516mm high but with a good sized glass giving a wonderful view of the fire. The turbo burner (tertiary air) brings air into the stove towards the back of the fire, allowing plenty of oxygen into the rear and top of the stove, thus burning off gases which normally do not ignite. This gives the Little Thurlow more efficiency, better combustion and less pollution.

The Little Thurlow is available as log store model. There is also a heat shield supplied with this free standing stove, which fits on the back panel. If this is fitted, allow an additional 30mm to the depth shown on this diagram.




UP TO
79.6%
EFFICIENT

Little Thurlow Low



Little Thurlow with Log Store



Little Thurlow

Little Thurlow is a small village located in Suffolk with a population of around 200. A prominent feature of the village is the River Stour and St Peter's 14th century Church.



Little Thurlow Eco SC

- With or without Log Store



5kW

- 5kW output
- Multi Fuel
- ECO Design Ready
- Smoke Control
- Energy Class A
- Energy Efficiency Index 105%
- 79% Efficient on Wood
- 80.2% Efficient on Solid Fuel
- 5" Diameter Flue (top flue only)
- Suitable for 12mm hearth
- Tertiary Air
- Distance from combustible materials with additional heat shield if used: Back 350mm / Side 450mm
- Max. Log Length 300mm

One of our most popular stoves, the Little Thurlow has a classic design packed with our newest technology, including an ECO design 2022 approved version.




Perfectly designed for a lower stove opening, this 'landscape' oriented multifuel stove has a large glass window, a very good sized firebox, and highly controllable airflows. The turbo burner (tertiary air) brings air into the stove towards the back of the fire, allowing plenty of oxygen into the rear and top of the stove, thus burning off gases which normally do not ignite. This gives the Little Thurlow more efficiency, better combustion and less pollution.

Supplied with an optional heat shield, which reduces the distance needed to combustible materials, (if fitted please allow an additional 30mm to the depth shown below).




	Little Thurlow ECO SC Results	ERP Limits
CO Emission (at 13% O2)	0.08 / 0.11	0.12
Hydro Carbon Emission	58 / 41	120
NOx Emission	93 / 114	200
DIN Plus Particulates	12 / 32	40

Little Thurlow Low



Little Thurlow with Log Store



Little Thurlow

Little Thurlow is a small village located in Suffolk with a population of around 200. A prominent feature of the village is the River Stour and St Peter's 14th century Church.



Pickering Eco SC

- With or without Log Store



5kW

- Smoke Control
- 5kW output
- ECO Design Ready
- Wood burning
- Energy Efficiency Class A+
- Energy Efficient Index 109%
- 81.9% Efficient
- 5" Diameter flue collar (top flue only)
- Suitable for a 12mm Hearth
- Built in Tertiary Air
- Optional Outside Air Kit
- Optional Remote Control
- Stainless Steel Handle
- Distance from combustible material; Back 250mm / Side 450mm
- Max Log Length 350mm
- Weight 88kg

An outstanding stove, the Pickering looks much larger than its 5kw output would suggest, and has been designed with the largest window possible, to give you a flawless view of the flames.

The Pickering is currently our only stove designed solely for burning wood. Because of this there is no need for an ashpan – the wood burns cleanly on the base of the firebox which is lined with firebricks, so when it comes time to clean the stove out, generally there will only be a small amount of ash left to scoop out.


The Pickering also incorporates a new style of stainless steel handle, which maintains a cooler temperature even while the fire is burning, making refueling even easier.

As with all our new stoves, the Pickering is 'ECODESIGN ready', so has very low emissions, making it a fantastic choice for the environmentally conscious. And being approved for use in 'smoke control zones', having an 81.9% efficiency, and an energy class of A+, there are so many reasons to choose the Pickering as your next stove.



Patent granted on rear air inlet for secondary air, tertiary air system and remote control

	Pickering ECO SC Results	ERP Limits
CO Emission (at 13% O2)	0.08	0.12
Hydro Carbon Emission	66	120
NOx Emission	92	200
DIN Plus Particulates	12	40



Pickering

Pickering is a thriving market town at the foot of the North York Moors, with its own castle. It is also famous for its railway station, the start of the North Yorkshire Moors heritage railway line.



Harrogate Eco in Rich Brown Metallic

7kW



Harrogate Eco SC



- Smoke Control
- 7kW output
- ECO Design Ready
- Multifuel
- Energy Efficiency Class A
- Energy Efficient Index 100 %
- 76.0% Efficient on Wood
- 6" Diameter flue collar (top flue only)
- Suitable for a 12mm Hearth
- Built In Tertiary Air
- Optional Outside Air kit
- Optional Remote Control
- Distance from combustible material; Back 200mm / Side 400mm
- Brass or Stainless Steel Handle
- Max. Log Length 350mm
- Weight 92kg

With it's large glass window for an unrivalled view of the fire, easy to use controls, 7kW output and an incredible built in air wash system, the Harrogate Eco Design smoke control stove is future proof and a classic.

There is also our own design tertiary air technology which re-ignites gases, giving more heat. Both of these proven technologies make the Harrogate Eco stove a perfect choice.


The integral back heatshield, when using vitreous enamelled flue pipe from the stove, reduces the distance to combustible materials to 200mm at the rear of the stove.

The Harrogate Eco and The Caedmon Eco Smoke Control stoves have the same interiors and specifications. The Caedmon Eco is the Curved door model and the Harrogate Eco is the flat door model.



Patent granted on rear air inlet for secondary air, tertiary air system and remote control

	Harrogate ECO SC Results	ERP Limits
CO Emission (at 13% O2)	0.06	0.12
Hydro Carbon Emission	32	120
NOx Emission	82	200
DIN Plus Particulates	38	40



Harrogate

Harrogate is a town in North Yorkshire, England, east of the Yorkshire Dales National Park. Its heritage as a fashionable spa resort continues in the Montpellier Quarter with the Royal Pump Room Museum, documenting the importance of local mineral springs.



Caedmon in Honey Glow Brown

7kW

Caedmon Eco SC



- Smoke Control
- 7kW output
- ECO Design Ready
- Multifuel
- Energy Efficiency Class A
- Energy Efficient Index 100 %
- 76.0% Efficient on Wood
- 6" Diameter flue collar (top flue only)
- Suitable for a 12mm Hearth
- Built In Tertiary Air
- Optional Outside Air kit
- Optional Remote Control
- Distance from combustible material; Back 200mm / Side 400mm
- Brass or Stainless Steel Handle
- Max. Log Length 350mm
- Weight 92kg

With its large curved glass window for an unrivalled view of the fire, easy to use controls, 7kW output and an incredible built in air wash system, the Caedmon Eco Design smoke control stove is future proof and a classic.

There is also our own design tertiary air technology which re-ignites gases, giving more heat. Both of these proven technologies make the Caedmon Eco stove a perfect choice.


The integral back heatshield, when using vitreous enamelled flue pipe from the stove, reduces the distance to combustible materials to 200mm at the rear of the stove.

The Harrogate Eco and The Caedmon Eco Smoke Control stoves have the same interiors and specifications. The Caedmon Eco is the curved door model and the Harrogate Eco is the flat door model.



Patent granted on rear air inlet for secondary air, tertiary air system and remote control

	Caedmon ECO SC Results	ERP Limits
CO Emission (at 13% O ₂)	0.06	0.12
Hydro Carbon Emission	32	120
NO _x Emission	82	200
DIN Plus Particulates	38	40



Caedmon

Caedmon is one of the earliest English poets who resided at Whitby Abbey in Anglo-Saxon times. His only known surviving work is Caedmon's hymn and is one of the earliest examples of Old English language.



Thornton Dale

- With or without Log Store



7.5kW

- 7.5kW output
- Multifuel
- Energy Class A
- Energy Efficiency Index 97%
- 74.1% Efficient on Wood
- 81.4% Efficient on Solid Fuel
- 6" diameter flue
- Built in Tertiary Air
- Brass or St/Steel Fittings
- Max. Log Length 400mm
- Weight 90 kg

A contemporary design from Town and Country Fires, a multi-fuel stove with a good sized uncluttered curved glass door, giving an even better view of the fire. It means that you can see the fire when sitting at an angle, not just in front. There is an excellent combustion and the stove does not require a riddling grate due to a good supply of air, burning the fuel to a fine ash. The Thornton Dale is suitable for a medium sized room, having an output of 7.5kW.

There is a heat shield supplied with this free standing stove, which fits on the back panel. If this is fitted, allow an additional 30mm to the depth shown on this diagram.


UP TO
81.4%
EFFICIENT




Thornton Dale

Thornton-le-Dale is a village near Pickering and within the district of Ryedale. Famous for its thatched roof cottage that appears on lots of calendars and chocolate boxes. The community also hosts events that attract large crowds every year.

Thornton Dale with Log Store



Thornton Dale Low





7.5kW

BRITISH
MADE

Rosedale SC

• With or without Log Store



- 7.5 kW output
- Multifuel
- Smoke control
- Energy Class A
- Energy Efficiency Index 102%
- 77.4 % Efficient on wood
- 75.7 % Efficient on solid fuel
- 6" diameter flue
- Suitable for a 12mm hearth
- Tertiary air
- Riddling grate
- Stainless steel ashpan
- Stainless steel or brass fittings
- Discreet air control
- Max. Log Length 380mm
- Weight 90 kg


The Rosedale Smoke Control, modelled on the Welburn but smaller proportions. The stove is manufactured in Pickering, using high quality British materials. The precision made door has a large curved glass to give an excellent view of the flames, a wonderful feature in any room. The Rosedale is multifuel, 7.5 kW output and is fitted with our air wash system which keeps the glass beautifully clean.

This efficient stove has been developed as an exceptionally clean burning stove so that it is approved to burn wood in a smoke control area.

There is also a heat shield supplied with this free standing stove, which fits on the back panel. If this is fitted, allow an additional 30mm to the depth shown on this diagram.



UP TO
77.4%
EFFICIENT



Rosedale

Rosedale is a beautiful valley full of history, situated within the North York Moors. Famous for its bustling industry from 1850s to 1920 which brought 5000 miners into the valley. Nowadays the valley is farmed and is great for walking, cycling and enjoying the spectacular views of the valley.



Langdale Eco SC

7.7kW

Langdale Eco SC

• With or without Log Store



- Smoke Control
- 7.7kW output
- Eco Design Ready
- Energy Efficiency Class A
- Energy Efficiency Index 105%
- 77.4% Efficient on solid fuel
- 79.4% Efficient on wood
- 5" flue diameter (top flue only)
- Suitable for a 12mm hearth
- Built in Tertiary Air
- Optional Outside Air Kit
- Optional Remote Control
- Brass or St/Steel handle
- Max. Log Length 400mm
- Weight - 100kg


The Langdale is a new innovative stove that really brings something new to the Town and Country Fires range. Designed in house, built and engineered in our factory in Pickering. This is a fantastic quality stove and as usual up to our high standards. We have designed two different heights of the Langdale to enable the stove to fit into either an open plan room or a smaller fireplace. The overall look of the stove lends itself to either a modern contemporary room setting or a traditional Inglenook. The stove is very controllable with a great clean burn system and as an added bonus, the flames can be viewed from three sides. Unlike most stoves in this sector, Town and Country Fires have developed the Langdale to burn as a solid fuel stove, which offers you more flexibility if your dry log supply runs out. The stove works great as a log burner and offers you the chance to put solid fuel on to increase the burn times. This efficient stove has been developed as an exceptionally clean burning stove so that it is approved to burn wood in a smoke control area.

Langdale Outside Air Kit The Langdale can be supplied with an outside air kit, which is now a requirement in a lot of new build properties, and this version is also available with remote control if required.



Patent granted on rear air inlet for secondary air, tertiary air system and remote control

	Langdale SC Eco Results (Wood)	Langdale SC Eco Results (Solid Fuel)	ERP Limits
CO Emission (at 13% O ₂)	0.08	0.06	0.12
Hydro Carbon Emission	52	24	120
NO _x Emission	87	123	200
DIN Plus Particulates	11	28	40



Langdale

Langdale is named after a valley called Langdale End. It is set within the North York Moors National Park and is on the edge of Dalby Forest. Langdale End has a small cluster of buildings, one being The Moorcock Inn, which has been owned by the same family for over 100 years.



8kW

Bransdale ECO SC




- 8 kW output
- Multifuel
- ECO Design ready
- Smoke control
- Energy Class A
- Energy Efficiency Index 102%
- 77.1% Efficient on Wood
- 77.8% Efficient on Solid Fuel
- 6" diameter flue (top flue only)
- Suitable for 12mm hearth
- Built in Tertiary Air
- Distance from combustible material;
Back 750mm / Side 650mm
- Brass or St/Steel Handle
- Max. Log Length 440mm
- Weight 100 kg

The Bransdale ECO SC has exceptionally good combustion and is instantly controllable. Once a good fire is established, the stove can be controlled by the two air vents near the top of the stove, making it easy to operate. Complete with built in tertiary air and very effective air wash system keeping the stove glass clean. The Bransdale is beautifully proportioned and the only way to appreciate this remarkable stove is to see it working. The multi-fuel grate will burn wood or solid fuel without any alterations to the grate.



	Bransdale Eco SC Results (Wood)	Bransdale Eco SC Results (Solid Fuel)	ERP Limits
CO Emission (at 13% O ₂)	0.09	0.06	0.12
Hydro Carbon Emission	88	45	120
NO _x Emission	119	130	200
DIN Plus Particulates	17	27	40



Bransdale

Bransdale is a beautiful valley set within the North Yorkshire Moors, north of Helmsley. Much of the dale is owned by the National Trust and is said to be one of the most isolated dales in the moors.



8-14kW

Byland






- Up to 14kW output
- Multifuel
- Energy Class A
- Energy Efficiency Index 102%
- 77.2% Efficient on Wood
- 70.7% Efficient on Solid Fuel
- 6" diameter flue (top flue only)
- Built in Tertiary Air
- Optional Remote Control
- Optional Outside Air Kit
- Riddling Grate
- Max. Log Length 400mm
- Brass or St/Steel Fittings
- Weight 120 kg

A truly remarkable stove which will be a talking point for years to come. The large curved glass gives a wonderful view of the fire and with the air wash the glass will stay exceptionally clean. The Byland is capable of up to 14kW output, but is so controllable it will run happily at 5kW. As with all our new range of stoves, the Byland is controlled by two simple levers which are below the door, and these levers take the place of the spin wheels. One lever controls the primary air, and the second lever controls the secondary and tertiary air. Once the fire is established, there is no need to use the primary air lever except with smokeless fuel, even when re-fuelling.

Byland Outside Air Kit The Byland can be supplied with an outside air kit, which is now a requirement in a lot of new build properties and this version is also available with remote control if required.

Patent granted on rear air inlet for secondary air, tertiary air system and remote control

UP TO
77.2%
EFFICIENT



Byland

Byland Abbey is a small village in Ryedale. Within the village there is a ruined abbey and many of the remains can still be seen. The abbey is now cared for by English Heritage.



8-14kW

Welburn

With or without Log Store



BRITISH
MADE

- Up to 14kW output
- Multifuel
- Energy Class A
- Energy Efficiency Index 102%
- 77.2% Efficient on Wood
- 70.7% Efficient on Solid Fuel
- 6" Diameter Flue
- Suitable for a 12mm hearth
- Tertiary Air
- Riddling Grate
- Brass or St/Steel Fittings
- Max. Log Length 400mm
- Weight 116kg

The Welburn is a truly remarkable large multi-fuel stove from Town and Country Fires. The Welburn has a large curved glass incorporating our incredible air wash system giving an amazing view of the fire making the Welburn an amazing focal point to any room. This model has Primary, Secondary and tertiary air controls making for ease of use and a cleaner burn. We manufacture the standard height and also a log store version of the Welburn.


Town & Country Fires also manufacture a Double Sided version of the Welburn - see pages 44 and 45.

There is also a heat shield supplied with this free standing stove, which fits on the back panel. If this is fitted, allow an additional 30mm to the depth shown on this diagram.


UP TO
77.2%
EFFICIENT



Welburn with Log Store



Welburn Low



Welburn

Welburn is a village in North Yorkshire and is close to Castle Howard. The village has a Primary School, pub, bakery and cafe, ensuring this community continues to thrive



10kW

Glaisdale



- Up to 10kW output
- Multifuel
- Energy Class A
- Energy Efficiency Index 102%
- 77.2% Efficient on Wood
- 78.9% Efficient on Solid Fuel
- 6" Diameter Flue
- Brass or St/Steel Fittings
- Max. Log Length 500mm
- Weight 116kg


The Glaisdale is a large Town and Country multi-fuel stove, with a 10kW output. As with all the Town and Country stoves, the Glaisdale is solidly constructed, with a cast iron single door and a good sized glass area ensuring there is no interruption to the wonderful view of the fire, the flame picture is mesmerising. The design is simple, and the combustion and fuel efficiency are excellent. The flat top makes an ideal spot for a kettle or casserole.



UP TO 79.6% EFFICIENT

There is also a heat shield supplied with this free standing stove, which fits on the back panel.

If this is fitted, allow an additional 30mm to the depth shown on this diagram.



Glaisdale

Glaisdale is a vibrant village within the North York Moors. The local community help to support a school, butchers, post office and pub. At the edge of the village is a bridge named 'beggars bridge'. There are also lovely walks around the valley.



8kW

Bransdale Double sided




- 8kW output
- Energy Class A
- Energy Efficiency Index 100%
- 75.6% Efficient on Wood
- 6" Diameter Flue
- Suitable for a 12mm hearth
- Brass or St/Steel Fittings
- View from two sides
- Max. Log Length 440mm
- Weight 100kg

A good looking stove with great views of the fire at both sides. Can be loaded and controlled from either side. The Bransdale double-sided stove has been designed to be fitted between two rooms or in an open plan situation. The Bransdale has exceptionally good combustion and is instantly controllable.

Once a good fire is established, the stove can be controlled by the two air vents near the top of the stove, making it easy to operate. The Bransdale is beautifully proportioned and the only way to appreciate this remarkable stove is to see it working.



UP TO 75.6% EFFICIENT



Bransdale

Bransdale is a beautiful valley set within the North Yorkshire Moors, north of Helmsley. Much of the dale is owned by the National Trust and is said to be one of the most isolated dales in the moors.



10kW

Welburn Double Sided





- Up to 10kW output
- Multifuel
- Energy Class A
- Energy Efficiency Index 97%
- 77.2% Efficient on Wood
- 70.7% Efficient on Solid Fuel
- 7" Diameter Flue
- Suitable for a 12mm hearth
- Brass or St/Steel Fittings
- View from two sides
- Max. Log Length 400mm
- Weight 116kg

The Welburn Double-Sided is one of the new and exciting range of contemporary wood and solid fuel burning stoves from Town and Country Fires. It is available in two styles, one low version and one higher design with a built-in log store. The two doors have magnificent curved glass giving an amazing view of the fire, this is certainly a focal point for any room.



UP TO 77.2% EFFICIENT



Welburn

Welburn is a village in North Yorkshire and is close to Castle Howard. The village has a Primary School, pub, bakery and cafe, ensuring this community continues to thrive.





4kW inset

Runswick Mk2



- 4kW output
- Multifuel
- British Made
- Energy Class A
- Energy Efficiency Index 106%
- 79.9% Efficient on Wood
- 74.8% Efficient on Solid Fuel
- Suitable for a standard chimney, or with a 6"/150mm adaptor to flue liner
- Riddling Grate
- Brass or St/Steel Fittings
- Requires a constructional hearth
- Max. Log Length 300mm
- Weight 72kg

The Runswick is an inset stove, designed so that it is usually possible to install the stove without removing the existing fire back or boiler, without a lot of building work or alterations to the existing fireplace. The Runswick will transform a room by bringing the advantages of a stove, with the minimum upheaval. There will be a marked improvement in efficiency, together with the peace of mind and safety of a stove. As well as radiant heat from the front of the stove, the Runswick draws in cold air from the room at each side of the front frame, this air is then warmed and convected out through the vents above the door, total output being 4kW.


UP TO
79.9%
EFFICIENT



Runswick

Runswick Bay is a pretty coastal village sandwiched between Whitby and Staithes. The picturesque village has a beautiful sweeping sandy beach and is overlooked by a mixture of cottages. The village is a haven for artists and holiday makers who spend time fossil hunting, building sand castles and walking.

WILL FIT AN OPENING		
	Width	Height
Min:	390mm	x 555mm
Max:	470mm	x 600mm





5kW Inset

Rosedale Inset Eco SC




- Smoke control
- 5kW output
- Multifuel
- British Made
- Energy Class A
- Energy Efficiency Index 104%
- 78.5% Efficient on Wood
- 80.2% Efficient on Solid Fuel
- Suitable for a standard class 1 chimney, or with a 5"/125mm adaptor to flue liner
- Built in Tertiary Air
- Brass or St/Steel Fittings
- Max. Log Length 300mm
- Requires a constructional hearth
- Weight 80kg

The Rosedale Inset Eco Smoke Control is Eco Design Ready. This contemporary inset stove with a large curved glass for a spectacular view of the fire with built in tertiary air. It has been designed to fit into a standard fire opening with the chair brick removed. This provides a good sized firebox which is suitable for logs as well as solid fuel. In addition to the radiant heat, there is a convection system bringing warm air out through the vents above the door, giving a total heat output of 5kW.

This efficient stove has been developed as an exceptionally clean burning stove so that it is approved to burn wood in a smoke control area.



Shown below with optional adaptor for flue liner.



	Rosedale Inset Eco SC Results (Wood)	Rosedale Inset Eco SC Results (Solid Fuel)	Eco Design Limits
CO Emission (at 13% O ₂)	0.06	0.06	0.12
Hydro Carbon Emission	35	8	120
NOx Emission	67	89	200
DIN Plus Particulates	19	7	40



Rosedale

Rosedale is a beautiful valley full of history, situated within the North York Moors. Famous for its bustling industry from 1850s to 1920 which brought 5000 miners into the valley. Nowadays the valley is farmed and is great for walking, cycling and enjoying the spectacular views of the valley.



Stove Colour Options

Our stoves come as standard in black but the whole range is available in the colours shown at a small extra charge. The special paint we use is extremely resistant to high temperatures.

We can also supply a matching single skin flue pipe in the colour to match your Town & Country stove.

Please note that the colour chart is intended as a guide only.




Options

Outside Air Kit

The Outside Air Kit is available on the following stoves;

- Alandale SC Eco
- Dalby SC Eco
- Saltburn SC Eco
- Cropton
- Langdale SC Eco
- Pickering Eco
- Caedmon Eco
- Harrogate Eco
- Byland



Remote Control

The Remote Control is available on the following;

- Alandale SC Eco
- Langdale Eco
- Pickering Eco
- Harrogate Eco
- Caedmon Eco
- Saltburn Eco
- Dalby Eco
- Byland



The remote control operates the secondary air intake and is powered by 4 x AA batteries and a 9V battery.

Air Intake Box

The remote control operates the secondary air intake and is powered by 4 x AA batteries and a 9V battery.



Gas Stove Range

Please ask for a copy of our gas stove range brochure.

**Our gas stoves are
Eco Design ready**



Genuine Spares

A stove may occasionally need a small repair or a spare part. For optimal running and durability of your stove we only recommend buying genuine Town & Country spare parts.

Genuine Town & Country spare parts can only be sourced from the Approved Local Dealer a stove is purchased from.

Please ask your Approved Local Dealer for more information regarding spare parts. Genuine Town & Country glass has our logo in the bottom right corner.



Free 10 year guarantee

Town and Country Fires recommend that stoves are only purchased through a local, approved stockist and installation must be undertaken by a qualified fitter. There is a Guarantee form with every Wood or Solid Fuel stove, this covers the workmanship of the stove for 12 months, but as long as the guarantee form is completed and returned to us and the above conditions have been complied with, then the guarantee is upgraded to ten years. Your local approved stockist will be able to advise you on suitability and installation. They will also be able to supply with you any spares in the future.




Town & Country Fires continually strive to improve their products, and therefore reserve the right to alter any specification without prior notice. The photos in this brochure are for illustrative purposes only.

www.townandcountryfires.co.uk



town & country fires

Local Agent



Latest models approved for smoke control areas; please visit our website – www.townandcountryfires.co.uk for any additional approved models.